

Early preventive services in Germany

New beginnings and the challenges to collaborate among youth welfare and health services

ISSOP congress 2018 “Early Intervention”

Bonn, 27.09.2018

Ilona Renner

National Centre for Early Prevention / Federal Centre for Health Education

AGENDA

1. Early Childhood Intervention (national activities)
2. Federal Action Program → Federal Foundation for Early Childhood Intervention
3. The Theory of Change
 - 3.1 Nationwide implementation
 - 3.2 Strong collaboration
 - 3.3 Families in need use support measures
 - 3.4 Early childhood intervention is positively assessed
 - 3.5 Measures are effective
4. Discussion

1. Early Childhood Intervention

Starting Point of the Commitment of the National Government

- Severe cases of child abuse and neglect since 2005 (Jessica, Kevin, Lea-Sophie...)

Strong Pressure for Political Action


- Not only intensified control and protection measures,
- Experts advocate for:
 - preventive strategies based on *promoting parental competence, voluntary activities, participation*
 - strengthening collaboration between the *health & child and youth welfare sectors* to reach the target group.



Main Target Group

- Early: Expecting mothers and families with children aged 0 – 3
- Families in need for psychosocial support


Source: Ilona Renner, Anna Neumann, Victoria Saint, Daria Ukhova, Sabine Horstmann, Ullrich Boettinger, Martina Dreibus, Astrid Kerl-Wienecke, Pilar Wulff, Mechthild Paul, Heidrun Thaiss (forthcoming) Promoting early childhood intervention in Germany through cross-sectoral collaboration. In: British Medical Journal



2. Federal Action Program



Federal Foundation for
Early Childhood Intervention



3. Theory of Change

Goal of early childhood intervention: Improved psychosocial care for families through measures of early childhood intervention

→ The vision: Every child is able to develop their full potential and no child is left behind (WHO: Nurturing Care Framework)

(5) Measures of early childhood intervention are effective

(4) Early intervention is positively assessed by the target group

(3) Families in need make use of early intervention measures

(2) Strong collaboration: Health & child and youth service sectors

(1) Nationwide municipal implementation of early childhood intervention

3.1 Nationwide municipal implementation of early childhood intervention

Indicators for successful implementation of „Frühe Hilfen“ on municipality level

	2013	2015
Networks „Frühe Hilfen“ are implemented	93,7	98,4
Municipalities implemented home visiting programs	87,9	
Activities in „Frühe Hilfen“ are documented	65,7	76,6
There is an overall concept of municipal policy concerning „Frühe Hilfen“ (Leitbild Frühe Hilfen)	46,5	62,3
There is a binding agreement on intersectoral collaboration	42,3	60,0

Prozentuale Anteile der Kommunen. Quelle „Kommunalbefragung des NZFH“ 2013 (n = 452) und 2015 (n = 432)

Sources: Ernst-Uwe Küster, Christopher Pabst, Alexandra Sann (2017): Kommunale Netzwerkstrukturen Frühe Hilfen. Faktenblatt 3 zu den Kommunalbefragungen zum Auf- und Ausbau der Frühen Hilfen. Herausgegeben vom Nationalen Zentrum Frühe Hilfen (NZFH). Köln

Ernst-Uwe Küster, Christopher Pabst, Alexandra Sann (2017): Einsatz von Gesundheitsfachkräften in den Frühen Hilfen. Faktenblatt 7 zu den Kommunalbefragungen zum Auf- und Ausbau der Frühen Hilfen. Herausgegeben vom Nationalen Zentrum (NZFH). Köln

However, further requirements were indicated by municipalities:

- development of networks
- meeting families' needs for home visiting care (e.g. by family midwives)

	2013	2015
„Early childhood intervention networks need to be further developed“	49,0%	<u>36,8%</u>
87,9 % municipalities offer home visiting care (e. g. by family midwives)		
→ Home visiting care offered in my municipality is sufficient:		
- Yes	40%	
- <u>No</u>		<u>53%</u>

Sources: Ernst-Uwe Küster, Christopher Pabst, Alexandra Sann (2017): *Kommunale Netzwerkstrukturen Frühe Hilfen. Faktenblatt 3 zu den Kommunalbefragungen zum Auf- und Ausbau der Frühen Hilfen*. Herausgegeben vom Nationalen Zentrum Frühe Hilfen (NZFH). Köln

Ernst-Uwe Küster, Christopher Pabst, Alexandra Sann (2017): *Einsatz von Gesundheitsfachkräften in den Frühen Hilfen. Faktenblatt 7 zu den Kommunalbefragungen zum Auf- und Ausbau der Frühen Hilfen*. Herausgegeben vom Nationalen Zentrum (NZFH). Köln


3.2 Strong collaboration: Healthcare & child and youth welfare

Outpatient healthcare integrated in early childhood intervention (ECI) networks in 2013 und 2015


	Percentage of municipalities that integrated outpatient healthcare actors in local ECI networks		Assessment of the quality of collaboration by municipal professionals responsible for ECI networks	
	2013	2015	2013	2015
Paediatrician surgeries	66,6	76,4	2,6	2,6
Gynaecologist surgeries	37,6	50,9	3,3	3,3
Psychiatric or psychotherapist surgeries (children)	25,0	33,6	2,8	2,8
Primary care physician surgeries	15,3	18,8	3,3	3,3

Quality of Collaboration: Mean Value on a five step scale 1 (very good) to 5 (very bad), referring to municipalities with one ECI network.
 2013 (N=452) und 2015 (N=432). Source: Ernst-Uwe Küster, Christopher Pabst, Alexandra Sann (2017): *Vernetzung der ambulanten medizinischen Versorgung mit den Frühen Hilfen. Faktenblatt 4 zu den Kommunalbefragungen zum Auf- und Ausbau der Frühen Hilfen.* Herausgegeben vom Nationalen Zentrum Frühe Hilfen (NZFH). Köln

Has the proportion of psychosocially burdened families in your practice changed in recent years?




Do you perceive the care of psychosocially burdened families as a challenge?



Early childhood intervention is (would be) a relief for my work/activities as a paediatrician.*


- **Agreement** (values 5+4)
- **Neutral** (Value 3)
- **Disagreement** (Values 2+1)

*5-point scale of 1 "disagree" to 5 "fully agree"



Source: Ilona Renner, Sara Scharmannski, Juliane van Staa, Anna Neumann & Mechthild Paul (forthcoming) The health sector and early childhood intervention: Cross-sectoral collaboration in research. In: Bundesgesundheitsblatt.


3.3 Families in need make use of early intervention measures



■ Niedrige Bildung

■ Mittlere Bildung

■ Hohe Bildung



■ Niedrige Bildung


■ Mittlere Bildung

Source: Andreas Eickhorst, Andrea Schreier, Christian Brand, Katrin Lang, Christoph Liel, Ilona Renner, Anna Neumann & Alexandra Sann (2016): Inanspruchnahme von Angeboten der Frühen Hilfen und darüber hinaus durch psychosozial belastete Eltern. In: Bundesgesundheitsblatt, Heft 10, S. 1271–1280

3.4 Early intervention is positively assessed by the target group

NZFH survey among 1019 mothers with children aged 0 – 3

Are you satisfied with the (family) midwife's care?



Source: Ilona Renner, Sara Scharmannski, Anna Neumann, Mechthild Paul (2018): Wie bewerten Mütter den Einsatz von Gesundheitsfachkräften in den Frühen Hilfen? Faktenblatt 1 zu den Ergebnissen der NZFH Elternbefragung zum Einsatz von Gesundheitsfachkräften in den Frühen Hilfen. Herausgegeben vom Nationalen Zentrum Frühe Hilfen (NZFH). Köln

Recommendation of a (family) midwife or nurse by mothers

Würden Sie die Unterstützung durch eine Familienhebamme/FGKiKP oder langfristige Hebamme/Kinderkrankenpflegerin weiterempfehlen?




3.5 Measures of early childhood intervention are effective

	Internal Consistency (Cronbach's α)	Range and Mean of Selectivity (r_{itc})
Interaction between main caregiver and child (6 Items)	,950	,815 - ,893; M = ,847
Care for the child (6 Items)	,868	,470 - ,774; M = ,671
Acceptance of support in further, special support needs (6 Items)	,921	,642 - ,868; M = ,775
Activities related to budget and everyday life (4 Items)	,852	,614 - ,798; M = ,694
Social Support (2 Items)	,803	,671

- Participants: 190 Family Midwives and Nurses took part in the online survey
- They reported data concerning resources, stresses, competencies of 937 families (anonymized / voluntary)
- Start of care – End of care

Source: Sara Scharmanski & Ilona Renner (2016) Familiäre Ressourcen und Hilfebedarfe erfassen: Zur Konstruktvalidität und Reliabilität des Systematischen Explorations- und Verlaufs inventars für Gesundheitsfachkräfte in den Frühen Hilfen (SEVG). In: Zeitschrift für Evidenz, Fortbildung und Qualität im Gesundheitswesen.

Enhancement of competencies over time



Source: Ilona Renner & Sara Scharmannski (2016) Gesundheitsfachkräfte in den Frühen Hilfen: Hat sich ihr Einsatz bewährt? In: Bundesgesundheitsblatt, Band 59, Heft 10, S. 1323–1331

Enhancement of competencies over time

measurement duration	Start of care period	End of care period	t Test	
	M (SD)	M (SD)	p	Cohen's d +
Scales SEVG				
Interaction	4,10 (.872)	4,46 (.706)	,000***	,45
Care	4,39 (.671)	4,53 (.596)	,000***	,23
Acceptance of support	3,14 (1,222)	3,37 (.1,232)	,001**	,18
Activities related to budget and everyday life	3,90 (.911)	4,21 (.814)	,000***	,37
Social Support	3,12 (1,287)	3,61 (1,206)	,000***	,39

* sig. $p < .05$; ** sig. $p < .01$; *** sig. $p < .001$

Quelle: Ilona Renner & Sara Scharmanski (2016) Gesundheitsfachkräfte in den Frühen Hilfen: Hat sich ihr Einsatz bewährt? In: Bundesgesundheitsblatt, Band 59, Heft 10, S. 1323–1331

4. Discussion

Goal of early childhood intervention: Has psychosocial care for families been improved?

So far, yes – but there is much future work to be done

(5) Measures of early childhood intervention are effective

(4) Early intervention is positively assessed by the target group

(3) Families in need make use of early intervention measures

(2) Strong collaboration: Health & child and youth service sectors

(1) Nationwide municipal implementation of early childhood intervention

Thank you for your attention

ilona.renner@nzfh.de